

# SPACIO

By Sigfrido Bilbao



**SPA  
CIO**

**SPACIO** combines simplicity and solid frame and functionality. A versatile solution for public and private environments, training rooms and waiting rooms.

**SPACIO** is a light and polyvalent chair for different environments such as contract or home office because of its design, different models and wide variety of colours and fabrics.



**ACTIU**

[www.actiu.com](http://www.actiu.com)

*Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.*

*A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces ...*

## Content:

Presentation..... 01

## Technical Data


Technical Specifications..... 02  
Available finishes..... 04  
Weight, Volume, Pack and Ecodesign..... 05  
Standards and EPD..... 06  
How to code a reference..... 07

## Price List

· 4 legs..... 08  
· Gas lift with castors..... 09  
· Draughtsman chair..... 09  
· Beam seating..... 10  
· Optional Accessories..... 11



Model	SPACIO		
Model Reference	4 Legs	Gas lift with castors 5 spoke Base	Draughtsman chair
Model back	Polypropylene (P.P) back with 15% fiberglass. Wide range of colours. Optional Polypropylene (P.P) Arms reinforced with fibre glass.	Polypropylene (P.P) back with 15% fiberglass. Wide range of colours. Optional Polypropylene (P.P) Arms reinforced with fibre glass.	Polypropylene (P.P) back with 15% fiberglass. Wide range of colours. Optional Polypropylene (P.P) Arms reinforced with fibre glass.
Seat	Anti-skid surface Seat: <ul style="list-style-type: none"> <li>• Shell, moulded Polypropylene (P.P)</li> <li>• Upholstered over foam (40-45kg/m3).</li> </ul>	Anti-skid surface Seat: <ul style="list-style-type: none"> <li>• Shell, moulded Polypropylene (P.P)</li> <li>• Upholstered over foam (40-45kg/m3).</li> </ul>	Anti-skid surface Seat: <ul style="list-style-type: none"> <li>• Shell, moulded Polypropylene (P.P)</li> <li>• Upholstered over foam (40-45kg/m3).</li> </ul>
Structure/Base	Frame manufactured with carbon cold-rolled steel 28x20x1,5mm thickness. Silver epoxy coat, 90 micron and anti-bacterial treatment. Stacking caps included.	Ø 64 cm swivel base with 5-spoke, in glassfibre polyamide. Black or white finish.	Chromed steel footrest. Curved tube Ø 18 x 1,5 mm thickness. Swivel 5 star base Ø 67,5 cm available in Silver aluminium or black polyamide with Polypropylene (P.P) black caps.
Supports	Polypropylene (P.P) glides and caps, matching seat and backrest	Anti-skid castors Ø 50 mm	Inverted Auto-Break Castors. <b>In option:</b> Polypropylene (P.P) black caps
Base		<ul style="list-style-type: none"> <li>• Black Polyamide - Ø 64 cm</li> <li>• Black Polyamide castor Ø 50 mm</li> <li>• White Polyamide - Ø 64 cm</li> <li>• Black Polyamide castor Ø 50 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Swivel silver aluminum base – 67,5 cm</li> <li>• Swivel black polyamide base - 67,5 cm</li> </ul>
Mechanism		Gas lift.	Gas lift.
Dimensions *according to UNE-EN 1335-1	<p><b>Total dimensions:</b> Total height: 830 mm Total width: 500 mm Total depth: 530 mm <b>Seat Dimensions:</b> Seat height: 420 mm Seat width: 470 mm Seat depth: 440 mm</p>	<p><b>Total dimensions:</b> Total height: from 850 to 955 mm Total width: 640 mm Total depth: 640 mm <b>Seat Dimensions:</b> Seat height: 420 mm Seat width: 470 mm Seat depth: 440 mm</p>	<p><b>Total dimensions:</b> Total height: from 1050 mm to 1230 mm Total width: 675 mm Total depth: 206 mm <b>Seat Dimensions:</b> Seat height: 420 mm Seat width: 470 mm Seat depth: 440 mm</p>
Stackable	Possibility of stacking up to 5 chairs		
Complement	<ul style="list-style-type: none"> <li>• Optional Hook on basket Ø 5 mm thickness with supports Ø 7 mm thickness. Aluminum finish</li> <li>• Optional writing tablet, compact laminate 13 mm. It could be fixed to the right or left hand side</li> <li>• Polypropylene (P.P) linking devices 5 mm thickness</li> </ul>		






Model	SPACIO
Model Reference	<b>Beam seating</b>
Model back	Polypropylene (P.P) back with 15% fiberglass. Wide range of colours. Optional Polypropylene (P.P) Arms reinforced with fibre glass.
Seat	Anti-skid surface Seat: <ul style="list-style-type: none"> <li>• Shell, moulded Polypropylene (P.P)</li> <li>• Upholstered over foam (40-45kg/m<sup>3</sup>).</li> </ul>
Structure/Base	Steel legs, cone shape 35 x 40 and 1,5 mm thickness. Silver epoxy coat, 90 micron and anti-bacterial treatment.
Supports	Moulded ABS leveler. Polyethylene (PE) caps Ø 40 mm.
Base	
Mechanism	
Dimensions *according to UNE-EN 1335-1	<p><b>Total dimensions:</b>                      Total height: 830 mm                      Total width: from 1105 mm to 2184 mm                      Total depth: 590 mm</p> <p><b>Seat Dimensions:</b>                      Seat height: 420 mm                      Seat width: 470 mm                      Seat depth: 440 mm</p>

Back & seat




Polypropylene



Seat



Fabric T - Phoenix



Fabric V - Valencia



Fabric U - Laguna



Available structure combinations

4 legs



Gas lift



Draughtsman chair



Bench seating



White Frame

- White arms
- White lower cover
- Structure - Any finish



Black Frame

- Black arms
- Black lower cover
- Structure - Any finish



Blue/Grey/Red Coral/Green/Mustard


















- Arms: Same color as frame
- White lower cover
- Structure - White



Blue/Grey/Red Coral/Green/Mustard

- Arms: Same color as frame
- Black lower cover
- Structure - Silver

**SPACIO**

Model	Packs	Weight	Volume	Materials Recycled materials	Production Aluminium, steel and wood	Transport Package and thinner free	Use To clean and maintain	Disposal Recyclable materials
								
 Without arms	1	25,20	0,37	8,53%	100%	100%	Easy	98,99%
 With arms	1	27,57	0,37	8,53%	100%	100%	Easy	98,99%
 Without arms	1	8,60	0,147	8,53%	100%	100%	Easy	98,99%
 With arms	1	9,16	0,147	8,53%	100%	100%	Easy	98,99%
 Without arms	1	10,93	0,182	8,53%	100%	100%	Easy	98,99%
 With arms	1	11,49	0,182	8,53%	100%	100%	Easy	98,99%
 2 seats	1	17	0,207	8,53%	100%	100%	Easy	98,99%
 3 seats	1	22,80	0,209	8,53%	100%	100%	Easy	98,99%
 4 seats	1	32,40	0,259	8,53%	100%	100%	Easy	98,99%

**Materials:** Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**Production:** Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**Transport:** Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**Use:** Quality and warranty. Long lasting. Replacements available.

**Disposal:** Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

## Standards

SPACIO has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

Standards	Description
<b>Confident office chair:</b>	
<b>UNE-EN 13761:03.</b>	Office furniture. Confident chairs.
<b>UNE-EN 1022:05.</b>	Office furniture. Confident chairs.
<b>UNE-EN 1728:00.</b>	Domestic furniture - Seating - Test methods for the determination of strength and durability.
<b>Gas Lift:</b>	
<b>UNE-EN 1335-1:01.</b>	Office Furniture. Office chair. Part 1: Dimensions.
<b>UNE-EN 1335-3:09.</b>	Office Furniture. Office chair. Part 3: Security essays.
<b>Beam Seating:</b>	
<b>UNE-EN 16139:13.</b>	Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.

## Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

